

# GOLD 2024 POCKET GUIDE REFERENCES

1. Halpin DMG, Celli BR, Criner GJ, et al. The GOLD Summit on chronic obstructive pulmonary disease in low- and middle-income countries. *Int J Tuberc Lung Dis* 2019; **23**(11): 1131-41 <https://pubmed.ncbi.nlm.nih.gov/31718748>.
2. Meghji J, Mortimer K, Agusti A, et al. Improving lung health in low-income and middle-income countries: from challenges to solutions. *Lancet* 2021; **397**(10277): 928-40 <https://pubmed.ncbi.nlm.nih.gov/33631128>.
3. Mathers CD, Loncar D. Projections of global mortality and burden of disease from 2002 to 2030. *PLoS Med* 2006; **3**(11): e442 <https://pubmed.ncbi.nlm.nih.gov/17132052>.
4. Buist AS, McBurnie MA, Vollmer WM, et al. International variation in the prevalence of COPD (the BOLD Study): a population-based prevalence study. *Lancet* 2007; **370**(9589): 741-50 <https://pubmed.ncbi.nlm.nih.gov/17765523>.
5. Kessler R, Partridge MR, Miravitles M, et al. Symptom variability in patients with severe COPD: a pan-European cross-sectional study. *Eur Respir J* 2011; **37**(2): 264-72 <https://pubmed.ncbi.nlm.nih.gov/21115606>.
6. Montes de Oca M, Perez-Padilla R, Talamo C, et al. Acute bronchodilator responsiveness in subjects with and without airflow obstruction in five Latin American cities: the PLATINO study. *Pulm Pharmacol Ther* 2010; **23**(1): 29-35 <https://pubmed.ncbi.nlm.nih.gov/19818867>.
7. Miravitles M, Worth H, Soler Cataluna JJ, et al. Observational study to characterise 24-hour COPD symptoms and their relationship with patient-reported outcomes: results from the ASSESS study. *Respir Res* 2014; **15**(1): 122 <https://pubmed.ncbi.nlm.nih.gov/25331383>.
8. Laviolette L, Laveneziana P, Faculty ERSRS. Dyspnoea: a multidimensional and multidisciplinary approach. *Eur Respir J* 2014; **43**(6): 1750-62 <https://pubmed.ncbi.nlm.nih.gov/24525437>.
9. Elliott MW, Adams L, Cockcroft A, MacRae KD, Murphy K, Guz A. The language of breathlessness. Use of verbal descriptors by patients with cardiopulmonary disease. *Am Rev Respir Dis* 1991; **144**(4): 826-32 <https://pubmed.ncbi.nlm.nih.gov/1928956>.
10. Phillips DB, Elbehairy AF, James MD, et al. Impaired Ventilatory Efficiency, Dyspnea, and Exercise Intolerance in Chronic Obstructive Pulmonary Disease: Results from the CanCOLD Study. *Am J Respir Crit Care Med* 2022; **205**(12): 1391-402 <https://pubmed.ncbi.nlm.nih.gov/35333135>.
11. Mullerova H, Lu C, Li H, Tabberer M. Prevalence and burden of breathlessness in patients with chronic obstructive pulmonary disease managed in primary care. *PLoS One* 2014; **9**(1): e85540 <https://pubmed.ncbi.nlm.nih.gov/24427316>.
12. Lapperre T, Bodtger U, Kjærsgaard Klein D, et al. Dysfunctional breathing impacts symptom burden in Chronic Obstructive Pulmonary Disease (COPD). *European Respiratory Journal* 2020; **56**(suppl 64): 124.
13. Vidotto LS, Carvalho CRF, Harvey A, Jones M. Dysfunctional breathing: what do we know? *J Bras Pneumol* 2019; **45**(1): e20170347 <https://pubmed.ncbi.nlm.nih.gov/30758427>.
14. Verberkt CA, van den Beuken-van Everdingen MHJ, Schols J, Hammeleers N, Wouters EFM, Janssen DJA. Effect of Sustained-Release Morphine for Refractory Breathlessness in Chronic Obstructive Pulmonary Disease on Health Status: A Randomized Clinical Trial. *JAMA Intern Med* 2020; **180**(10): 1306-14 <https://pubmed.ncbi.nlm.nih.gov/32804188>.
15. Lewthwaite H, Jensen D, Ekstrom M. How to Assess Breathlessness in Chronic Obstructive Pulmonary Disease. *Int J Chron Obstruct Pulmon Dis* 2021; **16**: 1581-98 <https://pubmed.ncbi.nlm.nih.gov/34113091>.
16. O'Donnell DE, Milne KM, James MD, de Torres JP, Neder JA. Dyspnea in COPD: New Mechanistic Insights and Management Implications. *Adv Ther* 2020; **37**(1): 41-60 <https://pubmed.ncbi.nlm.nih.gov/31673990>.
17. Cho SH, Lin HC, Ghoshal AG, et al. Respiratory disease in the Asia-Pacific region: Cough as a key symptom. *Allergy Asthma Proc* 2016; **37**(2): 131-40 <https://pubmed.ncbi.nlm.nih.gov/26802834>.
18. Medical Research Council Committee on the Aetiology of Chronic Bronchitis. Definition and classification of chronic bronchitis for clinical and epidemiological purposes. A report to the Medical Research Council by their Committee on the Aetiology of Chronic Bronchitis. *Lancet* 1965; **1**(7389): 775-9 <https://pubmed.ncbi.nlm.nih.gov/4165081>.
19. Allinson JP, Hardy R, Donaldson GC, Shaheen SO, Kuh D, Wedzicha JA. The Presence of Chronic Mucus Hypersecretion across Adult Life in Relation to Chronic Obstructive Pulmonary Disease Development. *Am J Respir Crit Care Med* 2016; **193**(6): 662-72 <https://pubmed.ncbi.nlm.nih.gov/26695373>.
20. Du Q, Jin J, Liu X, Sun Y. Bronchiectasis as a Comorbidity of Chronic Obstructive Pulmonary Disease: A Systematic Review and Meta-Analysis. *PLoS One* 2016; **11**(3): e0150532 <https://pubmed.ncbi.nlm.nih.gov/26978269>.
21. Ni Y, Shi G, Yu Y, Hao J, Chen T, Song H. Clinical characteristics of patients with chronic obstructive pulmonary disease with comorbid bronchiectasis: a systemic review and meta-analysis. *Int J Chron Obstruct Pulmon Dis* 2015; **10**: 1465-75 <https://pubmed.ncbi.nlm.nih.gov/26251586>.
22. Soler N, Esperatti M, Ewig S, Huerta A, Agusti C, Torres A. Sputum purulence-guided antibiotic use in hospitalised patients with exacerbations of COPD. *Eur Respir J* 2012; **40**(6): 1344-53 <https://pubmed.ncbi.nlm.nih.gov/22523352>.
23. Brusse-Keizer MG, Grotenhuis AJ, Kerstjens HA, et al. Relation of sputum colour to bacterial load in acute exacerbations of COPD. *Respir Med* 2009; **103**(4): 601-6 <https://pubmed.ncbi.nlm.nih.gov/19027281>.
24. Stockley RA, O'Brien C, Pye A, Hill SL. Relationship of sputum color to nature and outpatient management of acute exacerbations of COPD. *Chest* 2000; **117**(6): 1638-45 <https://pubmed.ncbi.nlm.nih.gov/10858396>.
25. Goertz YMJ, Looijmans M, Prins JB, et al. Fatigue in patients with chronic obstructive pulmonary disease: protocol of the Dutch multicentre, longitudinal, observational FAntaTIGUE study. *BMJ Open* 2018; **8**(4): e021745 <https://pubmed.ncbi.nlm.nih.gov/29643168>.

26. Ream E, Richardson A. Fatigue in patients with cancer and chronic obstructive airways disease: a phenomenological enquiry. *Int J Nurs Stud* 1997; **34**(1): 44-53 <https://pubmed.ncbi.nlm.nih.gov/9055120>.
27. Small SP, Lamb M. Measurement of fatigue in chronic obstructive pulmonary disease and in asthma. *Int J Nurs Stud* 2000; **37**(2): 127-33 <https://pubmed.ncbi.nlm.nih.gov/10684954>.
28. von Haehling S, Anker SD. Cachexia as a major underestimated and unmet medical need: facts and numbers. *J Cachexia Sarcopenia Muscle* 2010; **1**(1): 1-5 <https://pubmed.ncbi.nlm.nih.gov/21475699>.
29. Schols AM, Soeters PB, Dingemans AM, Mostert R, Frantzen PJ, Wouters EF. Prevalence and characteristics of nutritional depletion in patients with stable COPD eligible for pulmonary rehabilitation. *Am Rev Respir Dis* 1993; **147**(5): 1151-6 <https://pubmed.ncbi.nlm.nih.gov/8484624>.
30. Attaway AH, Welch N, Hatipoglu U, Zein JG, Dasarathy S. Muscle loss contributes to higher morbidity and mortality in COPD: An analysis of national trends. *Respirology* 2021; **26**(1): 62-71 <https://pubmed.ncbi.nlm.nih.gov/32542761>.
31. Rutten EP, Calverley PM, Casaburi R, et al. Changes in body composition in patients with chronic obstructive pulmonary disease: do they influence patient-related outcomes? *Ann Nutr Metab* 2013; **63**(3): 239-47 <https://pubmed.ncbi.nlm.nih.gov/24216978>.
32. Schols AM, Broekhuizen R, Weling-Scheepers CA, Wouters EF. Body composition and mortality in chronic obstructive pulmonary disease. *Am J Clin Nutr* 2005; **82**(1): 53-9 <https://pubmed.ncbi.nlm.nih.gov/16002800>.
33. Hanania NA, Mullerova H, Locantore NW, et al. Determinants of depression in the ECLIPSE chronic obstructive pulmonary disease cohort. *Am J Respir Crit Care Med* 2011; **183**(5): 604-11 <https://pubmed.ncbi.nlm.nih.gov/20889909>.
34. Blakemore A, Dickens C, Chew-Graham CA, et al. Depression predicts emergency care use in people with chronic obstructive pulmonary disease: a large cohort study in primary care. *Int J Chron Obstruct Pulmon Dis* 2019; **14**: 1343-53 <https://pubmed.ncbi.nlm.nih.gov/31388297>.
35. Miller MR, Hankinson J, Brusasco V, et al. Standardisation of spirometry. *Eur Respir J* 2005; **26**(2): 319-38 <https://pubmed.ncbi.nlm.nih.gov/16055882>.
36. Pellegrino R, Viegi G, Brusasco V, et al. Interpretative strategies for lung function tests. *Eur Respir J* 2005; **26**(5): 948-68 <https://pubmed.ncbi.nlm.nih.gov/16264058>.
37. Colak Y, Nordestgaard BG, Vestbo J, Lange P, Afzal S. Prognostic significance of chronic respiratory symptoms in individuals with normal spirometry. *Eur Respir J* 2019; **54**(3): <https://pubmed.ncbi.nlm.nih.gov/31248954>.
38. Jackson H, Hubbard R. Detecting chronic obstructive pulmonary disease using peak flow rate: cross sectional survey. *BMJ* 2003; **327**(7416): 653-4 <https://pubmed.ncbi.nlm.nih.gov/14500437>.
39. van Dijk W, Tan W, Li P, et al. Clinical relevance of fixed ratio vs lower limit of normal of FEV1/FVC in COPD: patient-reported outcomes from the CanCOLD cohort. *Ann Fam Med* 2015; **13**(1): 41-8 <https://pubmed.ncbi.nlm.nih.gov/25583891>.
40. Guder G, Brenner S, Angermann CE, et al. "GOLD or lower limit of normal definition? A comparison with expert-based diagnosis of chronic obstructive pulmonary disease in a prospective cohort-study". *Respir Res* 2012; **13**(1): 13 <https://pubmed.ncbi.nlm.nih.gov/22309369>.
41. Bhatt SP, Sieren JC, Dransfield MT, et al. Comparison of spirometric thresholds in diagnosing smoking-related airflow obstruction. *Thorax* 2014; **69**(5): 409-14 <https://pubmed.ncbi.nlm.nih.gov/23525095>.
42. Çolak Y, Afzal S, Nordestgaard BG, Vestbo J, Lange P. Young and middle-aged adults with airflow limitation according to lower limit of normal but not fixed ratio have high morbidity and poor survival: a population-based prospective cohort study. *Eur Respir J* 2018; **51**(3): <https://pubmed.ncbi.nlm.nih.gov/29449425>.
43. Jones PW. Health status and the spiral of decline. *COPD* 2009; **6**(1): 59-63 <https://pubmed.ncbi.nlm.nih.gov/19229709>.
44. Han MK, Muellerova H, Curran-Everett D, et al. GOLD 2011 disease severity classification in COPDGene: a prospective cohort study. *Lancet Respir Med* 2013; **1**(1): 43-50 <https://pubmed.ncbi.nlm.nih.gov/24321803>.
45. American Thoracic Society (ATS). Surveillance for respiratory hazards in the occupational setting *Am Rev Respir Dis* 1982; **126**: 952-6
46. Bestall JC, Paul EA, Garrod R, Garnham R, Jones PW, Wedzicha JA. Usefulness of the Medical Research Council (MRC) dyspnoea scale as a measure of disability in patients with chronic obstructive pulmonary disease. *Thorax* 1999; **54**(7): 581-6 <https://pubmed.ncbi.nlm.nih.gov/10377201>.
47. Sundh J, Janson C, Lisspers K, Stallberg B, Montgomery S. The Dyspnoea, Obstruction, Smoking, Exacerbation (DOSE) index is predictive of mortality in COPD. *Prim Care Respir J* 2012; **21**(3): 295-301 <https://pubmed.ncbi.nlm.nih.gov/22786813>.
48. Nishimura K, Izumi T, Tsukino M, Oga T. Dyspnea is a better predictor of 5-year survival than airway obstruction in patients with COPD. *Chest* 2002; **121**(5): 1434-40 <https://pubmed.ncbi.nlm.nih.gov/12006425>.
49. Jones PW. Health status measurement in chronic obstructive pulmonary disease. *Thorax* 2001; **56**(11): 880-7 <https://pubmed.ncbi.nlm.nih.gov/11641515>.
50. Guyatt GH, Berman LB, Townsend M, Pugsley SO, Chambers LW. A measure of quality of life for clinical trials in chronic lung disease. *Thorax* 1987; **42**(10): 773-8 <https://pubmed.ncbi.nlm.nih.gov/3321537>.
51. Jones PW, Quirk FH, Baveystock CM, Littlejohns P. A self-complete measure of health status for chronic airflow limitation. The St. George's Respiratory Questionnaire. *Am Rev Respir Dis* 1992; **145**(6): 1321-7 <https://pubmed.ncbi.nlm.nih.gov/1595997>.
52. Jones PW, Harding G, Berry P, Wiklund I, Chen WH, Kline Leidy N. Development and first validation of the COPD Assessment Test. *Eur Respir J* 2009; **34**(3): 648-54 <https://pubmed.ncbi.nlm.nih.gov/19720809>.

53. Karlo M, Fleig Mayer A, Maurici R, Pizzichini MMM, Jones PW, Pizzichini E. The COPD Assessment Test: What Do We Know So Far?: A Systematic Review and Meta-Analysis About Clinical Outcomes Prediction and Classification of Patients Into GOLD Stages. *Chest* 2016; **149**(2): 413-25 <https://pubmed.ncbi.nlm.nih.gov/26513112>.
54. Agusti A, Calverley PM, Celli B, et al. Characterisation of COPD heterogeneity in the ECLIPSE cohort. *Respir Res* 2010; **11**(1): 122 <https://pubmed.ncbi.nlm.nih.gov/20831787>.
55. Nishimura K, Mitsuma S, Kobayashi A, et al. COPD and disease-specific health status in a working population. *Respir Res* 2013; **14**(1): 61 <https://pubmed.ncbi.nlm.nih.gov/23725096>.
56. Miravitles M, Soriano JB, Garcia-Rio F, et al. Prevalence of COPD in Spain: impact of undiagnosed COPD on quality of life and daily life activities. *Thorax* 2009; **64**(10): 863-8 <https://pubmed.ncbi.nlm.nih.gov/19553233>.
57. Jones PW, Tabberer M, Chen WH. Creating scenarios of the impact of COPD and their relationship to COPD Assessment Test (CAT) scores. *BMC Pulm Med* 2011; **11**: 42 <https://pubmed.ncbi.nlm.nih.gov/21835018>.
58. Jones PW, Adamek L, Nadeau G, Banik N. Comparisons of health status scores with MRC grades in COPD: implications for the GOLD 2011 classification. *Eur Respir J* 2013; **42**(3): 647-54 <https://pubmed.ncbi.nlm.nih.gov/23258783>.
59. Bafadhel M, Peterson S, De Blas MA, et al. Predictors of exacerbation risk and response to budesonide in patients with chronic obstructive pulmonary disease: a post-hoc analysis of three randomised trials. *Lancet Respir Med* 2018; **6**(2): 117-26 <https://pubmed.ncbi.nlm.nih.gov/29331313>.
60. Siddiqui SH, Guasconi A, Vestbo J, et al. Blood Eosinophils: A Biomarker of Response to Extrafine Beclomethasone/Formoterol in Chronic Obstructive Pulmonary Disease. *Am J Respir Crit Care Med* 2015; **192**(4): 523-5 <https://pubmed.ncbi.nlm.nih.gov/26051430>.
61. Papi A, Vestbo J, Fabbri L, et al. Extrafine inhaled triple therapy versus dual bronchodilator therapy in chronic obstructive pulmonary disease (TRIBUTE): a double-blind, parallel group, randomised controlled trial. *Lancet* 2018; **391**(10125): 1076-84 <https://pubmed.ncbi.nlm.nih.gov/29429593>.
62. Pascoe S, Locantore N, Dransfield MT, Barnes NC, Pavord ID. Blood eosinophil counts, exacerbations, and response to the addition of inhaled fluticasone furoate to vilanterol in patients with chronic obstructive pulmonary disease: a secondary analysis of data from two parallel randomised controlled trials. *Lancet Respir Med* 2015; **3**(6): 435-42 <https://pubmed.ncbi.nlm.nih.gov/25878028>.
63. Vestbo J, Papi A, Corradi M, et al. Single inhaler extrafine triple therapy versus long-acting muscarinic antagonist therapy for chronic obstructive pulmonary disease (TRINITY): a double-blind, parallel group, randomised controlled trial. *Lancet* 2017; **389**(10082): 1919-29 <https://pubmed.ncbi.nlm.nih.gov/28385353>.
64. Lipson DA, Barnhart F, Brealey N, et al. Once-Daily Single-Inhaler Triple versus Dual Therapy in Patients with COPD. *N Engl J Med* 2018; **378**(18): 1671-80 <https://pubmed.ncbi.nlm.nih.gov/29668352>.
65. Hartl S, Breyer MK, Burghuber OC, et al. Blood eosinophil count in the general population: typical values and potential confounders. *Eur Respir J* 2020; **55**(5): 1901874 <https://pubmed.ncbi.nlm.nih.gov/32060069>.
66. Kolsum U, Southworth T, Jackson N, Singh D. Blood eosinophil counts in COPD patients compared to controls. *Eur Respir J* 2019; **54**(4): 1900633 <https://pubmed.ncbi.nlm.nih.gov/31221811>.
67. George L, Taylor AR, Esteve-Codina A, et al. Blood eosinophil count and airway epithelial transcriptome relationships in COPD versus asthma. *Allergy* 2020; **75**(2): 370-80 <https://pubmed.ncbi.nlm.nih.gov/31506971>.
68. Higham A, Beech A, Wolosianska S, et al. Type 2 inflammation in eosinophilic chronic obstructive pulmonary disease. *Allergy* 2021; **76**(6): 1861-4 <https://pubmed.ncbi.nlm.nih.gov/33206402>.
69. Singh D, Agusti A, Martinez FJ, et al. Blood Eosinophils and Chronic Obstructive Pulmonary Disease: A Global Initiative for Chronic Obstructive Lung Disease Science Committee 2022 Review. *Am J Respir Crit Care Med* 2022; **206**(1): 17-24 <https://pubmed.ncbi.nlm.nih.gov/35737975>.
70. Landis SH, Suruki R, Hilton E, Compton C, Galwey NW. Stability of Blood Eosinophil Count in Patients with COPD in the UK Clinical Practice Research Datalink. *COPD* 2017; **14**(4): 382-8 <https://pubmed.ncbi.nlm.nih.gov/28569614>.
71. Oshagbemi OA, Burden AM, Braeken DCW, et al. Stability of Blood Eosinophils in Patients with Chronic Obstructive Pulmonary Disease and in Control Subjects, and the Impact of Sex, Age, Smoking, and Baseline Counts. *Am J Respir Crit Care Med* 2017; **195**(10): 1402-4 <https://pubmed.ncbi.nlm.nih.gov/28165763>.
72. Southworth T, Beech G, Foden P, Kolsum U, Singh D. The reproducibility of COPD blood eosinophil counts. *Eur Respir J* 2018; **52**(1): <https://pubmed.ncbi.nlm.nih.gov/29724922>.
73. Casanova C, Celli BR, de-Torres JP, et al. Prevalence of persistent blood eosinophilia: relation to outcomes in patients with COPD. *Eur Respir J* 2017; **50**(5): <https://pubmed.ncbi.nlm.nih.gov/29167301>.
74. Vedel-Krogh S, Nielsen SF, Lange P, Vestbo J, Nordestgaard BG. Blood Eosinophils and Exacerbations in Chronic Obstructive Pulmonary Disease. The Copenhagen General Population Study. *Am J Respir Crit Care Med* 2016; **193**(9): 965-74 <https://pubmed.ncbi.nlm.nih.gov/26641631>.
75. Yun JH, Lamb A, Chase R, et al. Blood eosinophil count thresholds and exacerbations in patients with chronic obstructive pulmonary disease. *J Allergy Clin Immunol* 2018; **141**(6): 2037-47 e10 <https://pubmed.ncbi.nlm.nih.gov/29709670>.
76. Tan WC, Bourbeau J, Nadeau G, et al. High eosinophil counts predict decline in FEV(1): results from the CanCOLD study. *Eur Respir J* 2021; **57**(5): <https://pubmed.ncbi.nlm.nih.gov/33303555>.
77. Park HY, Chang Y, Kang D, et al. Blood eosinophil counts and the development of obstructive lung disease: the Kangbuk Samsung Health Study. *Eur Respir J* 2021; **58**(4): <https://pubmed.ncbi.nlm.nih.gov/33737406>.
78. Mannino DM, Thorn D, Swensen A, Holguin F. Prevalence and outcomes of diabetes, hypertension and cardiovascular disease in COPD. *Eur Respir J* 2008; **32**(4): 962-9 <https://pubmed.ncbi.nlm.nih.gov/18579551>.

79. Chen W, Thomas J, Sadatsafavi M, FitzGerald JM. Risk of cardiovascular comorbidity in patients with chronic obstructive pulmonary disease: a systematic review and meta-analysis. *Lancet Respir Med* 2015; **3**(8): 631-9 <https://pubmed.ncbi.nlm.nih.gov/26208998>.
80. Soriano JB, Visick GT, Muellerova H, Payvandi N, Hansell AL. Patterns of comorbidities in newly diagnosed COPD and asthma in primary care. *Chest* 2005; **128**(4): 2099-107 <https://pubmed.ncbi.nlm.nih.gov/16236861>.
81. Soler-Cataluna JJ, Martinez-Garcia MA, Roman Sanchez P, Salcedo E, Navarro M, Ochando R. Severe acute exacerbations and mortality in patients with chronic obstructive pulmonary disease. *Thorax* 2005; **60**(11): 925-31 <https://pubmed.ncbi.nlm.nih.gov/16055622>.
82. National Institute for Health and Care Excellence. Multimorbidity: clinical assessment and management; NICE guideline [NG56] Published date: 21 September 2016 [accessed Oct 2023]. 2016. <https://www.nice.org.uk/guidance/ng56>.
83. Vanfleteren LE, Spruit MA, Groenen M, et al. Clusters of comorbidities based on validated objective measurements and systemic inflammation in patients with chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 2013; **187**(7): 728-35 <https://pubmed.ncbi.nlm.nih.gov/23392440>.
84. Brenner DR, Boffetta P, Duell EJ, et al. Previous lung diseases and lung cancer risk: a pooled analysis from the International Lung Cancer Consortium. *Am J Epidemiol* 2012; **176**(7): 573-85 <https://pubmed.ncbi.nlm.nih.gov/22986146>.
85. Fry JS, Hamling JS, Lee PN. Systematic review with meta-analysis of the epidemiological evidence relating FEV1 decline to lung cancer risk. *BMC Cancer* 2012; **12**: 498 <https://pubmed.ncbi.nlm.nih.gov/23101666>.
86. Wagner PD. Possible mechanisms underlying the development of cachexia in COPD. *Eur Respir J* 2008; **31**(3): 492-501 <https://pubmed.ncbi.nlm.nih.gov/18310396>.
87. Maltais F, Decramer M, Casaburi R, et al. An official American Thoracic Society/European Respiratory Society statement: update on limb muscle dysfunction in chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 2014; **189**(9): e15-62 <https://pubmed.ncbi.nlm.nih.gov/24787074>.
88. Soriano JB, Lamprecht B, Ramirez AS, et al. Mortality prediction in chronic obstructive pulmonary disease comparing the GOLD 2007 and 2011 staging systems: a pooled analysis of individual patient data. *Lancet Respir Med* 2015; **3**(6): 443-50 <https://pubmed.ncbi.nlm.nih.gov/25995071>.
89. Goossens LM, Leimer I, Metzdorf N, Becker K, Rutten-van Molken MP. Does the 2013 GOLD classification improve the ability to predict lung function decline, exacerbations and mortality: a post-hoc analysis of the 4-year UPLIFT trial. *BMC Pulm Med* 2014; **14**: 163 <https://pubmed.ncbi.nlm.nih.gov/25326750>.
90. Kim J, Yoon HI, Oh YM, et al. Lung function decline rates according to GOLD group in patients with chronic obstructive pulmonary disease. *Int J Chron Obstruct Pulmon Dis* 2015; **10**: 1819-27 <https://pubmed.ncbi.nlm.nih.gov/26379432>.
91. Montes de Oca M. Smoking Cessation/Vaccinations. *Clin Chest Med* 2020; **41**(3): 495-512 <https://pubmed.ncbi.nlm.nih.gov/32800202>.
92. Willemse BW, Postma DS, Timens W, ten Hacken NH. The impact of smoking cessation on respiratory symptoms, lung function, airway hyperresponsiveness and inflammation. *Eur Respir J* 2004; **23**(3): 464-76 <https://pubmed.ncbi.nlm.nih.gov/15065840>.
93. Bauer CMT, Morissette MC, Stampfli MR. The influence of cigarette smoking on viral infections: translating bench science to impact COPD pathogenesis and acute exacerbations of COPD clinically. *Chest* 2013; **143**(1): 196-206 <https://pubmed.ncbi.nlm.nih.gov/23276842>.
94. Crowley TJ, Macdonald MJ, Walter MI. Behavioral anti-smoking trial in chronic obstructive pulmonary disease patients. *Psychopharmacology (Berl)* 1995; **119**(2): 193-204 <https://pubmed.ncbi.nlm.nih.gov/7659767>.
95. Jimenez-Ruiz CA, Masa F, Miravittles M, et al. Smoking characteristics: differences in attitudes and dependence between healthy smokers and smokers with COPD. *Chest* 2001; **119**(5): 1365-70 <https://pubmed.ncbi.nlm.nih.gov/11348940>.
96. Shahab L, Jarvis MJ, Britton J, West R. Prevalence, diagnosis and relation to tobacco dependence of chronic obstructive pulmonary disease in a nationally representative population sample. *Thorax* 2006; **61**(12): 1043-7 <https://pubmed.ncbi.nlm.nih.gov/17040932>.
97. Wagena EJ, Arrindell WA, Wouters EF, van Schayck CP. Are patients with COPD psychologically distressed? *Eur Respir J* 2005; **26**(2): 242-8 <https://pubmed.ncbi.nlm.nih.gov/16055871>.
98. van Eerd EA, van der Meer RM, van Schayck OC, Kotz D. Smoking cessation for people with chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2016; **2016**(8): CD010744 <https://pubmed.ncbi.nlm.nih.gov/27545342>.
99. Maltais F, Bjerner L, Kerwin EM, et al. Efficacy of umeclidinium/vilanterol versus umeclidinium and salmeterol monotherapies in symptomatic patients with COPD not receiving inhaled corticosteroids: the EMAX randomised trial. *Respir Res* 2019; **20**(1): 238 <https://pubmed.ncbi.nlm.nih.gov/31666084>.
100. Lange P, Marott JL, Vestbo J, et al. Prediction of the clinical course of chronic obstructive pulmonary disease, using the new GOLD classification: a study of the general population. *Am J Respir Crit Care Med* 2012; **186**(10): 975-81 <https://pubmed.ncbi.nlm.nih.gov/22997207>.
101. Agusti A, Edwards LD, Celli B, et al. Characteristics, stability and outcomes of the 2011 GOLD COPD groups in the ECLIPSE cohort. *Eur Respir J* 2013; **42**(3): 636-46 <https://pubmed.ncbi.nlm.nih.gov/23766334>.
102. Oba Y, Keeney E, Ghatehorde N, Dias S. Dual combination therapy versus long-acting bronchodilators alone for chronic obstructive pulmonary disease (COPD): a systematic review and network meta-analysis. *Cochrane Database Syst Rev* 2018; **12**(12): CD012620 <https://pubmed.ncbi.nlm.nih.gov/30521694>.

103. Rabe KF, Martinez FJ, Ferguson GT, et al. Triple Inhaled Therapy at Two Glucocorticoid Doses in Moderate-to-Very-Severe COPD. *N Engl J Med* 2020; **383**(1): 35-48 <https://pubmed.ncbi.nlm.nih.gov/32579807>.
104. Karner C, Cates CJ. Long-acting beta(2)-agonist in addition to tiotropium versus either tiotropium or long-acting beta(2)-agonist alone for chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2012; **4**(4): CD008989 <https://pubmed.ncbi.nlm.nih.gov/22513969>.
105. Martinez FJ, Calverley PM, Goehring UM, Brose M, Fabbri LM, Rabe KF. Effect of roflumilast on exacerbations in patients with severe chronic obstructive pulmonary disease uncontrolled by combination therapy (REACT): a multicentre randomised controlled trial. *Lancet* 2015; **385**(9971): 857-66 <https://pubmed.ncbi.nlm.nih.gov/25684586>.
106. Martinez FJ, Rabe KF, Sethi S, et al. Effect of Roflumilast and Inhaled Corticosteroid/Long-Acting Beta-2-Agonist on Chronic Obstructive Pulmonary Disease Exacerbations (RE2SPOND) A Randomized Clinical Trial. *Am J Respir Crit Care Med* 2016; **194**(5): 559-67
107. Rabe KF, Calverley PMA, Martinez FJ, Fabbri LM. Effect of roflumilast in patients with severe COPD and a history of hospitalisation. *Eur Respir J* 2017; **50**(1): <https://pubmed.ncbi.nlm.nih.gov/28679611>.
108. Albert RK, Connell J, Bailey WC, et al. Azithromycin for prevention of exacerbations of COPD. *N Engl J Med* 2011; **365**(8): 689-98 <https://pubmed.ncbi.nlm.nih.gov/21864166>.
109. Han MK, Tayob N, Murray S, et al. Predictors of chronic obstructive pulmonary disease exacerbation reduction in response to daily azithromycin therapy. *Am J Respir Crit Care Med* 2014; **189**(12): 1503-8 <https://pubmed.ncbi.nlm.nih.gov/24779680>.
110. Chapman KR, Hurst JR, Frent SM, et al. Long-Term Triple Therapy De-escalation to Indacaterol/Glycopyrronium in Patients with Chronic Obstructive Pulmonary Disease (SUNSET): A Randomized, Double-Blind, Triple-Dummy Clinical Trial. *Am J Respir Crit Care Med* 2018; **198**(3): 329-39 <https://pubmed.ncbi.nlm.nih.gov/29779416>.
111. Calverley PMA, Tetzlaff K, Vogelmeier C, et al. Eosinophilia, Frequent Exacerbations, and Steroid Response in Chronic Obstructive Pulmonary Disease. *Am J Respir Crit Care Med* 2017; **196**(9): 1219-21 <https://pubmed.ncbi.nlm.nih.gov/28306321>.
112. Capstick T, Atack K, The Leeds Teaching Hospitals NHS Trust. The Leeds Inhaler Device Guide: Inhaler Technique Instructions for Healthcare Professionals and Patients. 1st Edition. Available at <https://www.cpwy.org/wp-content/uploads/sites/128/2022/03/4.-Leeds-Inhaler-Device-Instruction-Guide-vs-11-Final.pdf> [accessed Oct 2023]. 2018:
113. Laube BL, Janssens HM, de Jongh FH, et al. What the pulmonary specialist should know about the new inhalation therapies. *Eur Respir J* 2011; **37**(6): 1308-31 <https://pubmed.ncbi.nlm.nih.gov/21310878>.
114. Asthma + Lung UK. Using your inhalers. Available at <https://www.asthma.org.uk/advice/inhalers-medicines-treatments/using-inhalers/> [accessed Oct 2023].
115. Cranston JM, Crockett AJ, Moss JR, Alpers JH. Domiciliary oxygen for chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2005; **2005**(4): CD001744 <https://pubmed.ncbi.nlm.nih.gov/16235285>.
116. Long-term Oxygen Treatment Trial Research Group. A randomized trial of long-term oxygen for COPD with moderate desaturation. *N Engl J Med* 2016; **375**(17): 1617
117. Ekstrom M, Ahmadi Z, Bornefalk-Hermansson A, Abernethy A, Currow D. Oxygen for breathlessness in patients with chronic obstructive pulmonary disease who do not qualify for home oxygen therapy. *Cochrane Database Syst Rev* 2016; **11**(11): CD006429 <https://pubmed.ncbi.nlm.nih.gov/27886372>.
118. Jacobs SS, Krishnan JA, Lederer DJ, et al. Home Oxygen Therapy for Adults with Chronic Lung Disease. An Official American Thoracic Society Clinical Practice Guideline. *Am J Respir Crit Care Med* 2020; **202**(10): e121-e41 <https://pubmed.ncbi.nlm.nih.gov/33185464>.
119. Alison JA, McKeough ZJ, Leung RWM, et al. Oxygen compared to air during exercise training in COPD with exercise-induced desaturation. *Eur Respir J* 2019; **53**(5): 1802429 <https://pubmed.ncbi.nlm.nih.gov/30880289>.
120. Ahmedzai S, Balfour-Lynn IM, Bewick T, et al. Managing passengers with stable respiratory disease planning air travel: British Thoracic Society recommendations. *Thorax* 2011; **66 Suppl 1**: i1-30 <https://pubmed.ncbi.nlm.nih.gov/21856702>.
121. Berg BW, Dillard TA, Rajagopal KR, Mehm WJ. Oxygen supplementation during air travel in patients with chronic obstructive lung disease. *Chest* 1992; **101**(3): 638-41 <https://pubmed.ncbi.nlm.nih.gov/1541125>.
122. Edvardsen A, Akero A, Christensen CC, Ryg M, Skjonsberg OH. Air travel and chronic obstructive pulmonary disease: a new algorithm for pre-flight evaluation. *Thorax* 2012; **67**(11): 964-9 <https://pubmed.ncbi.nlm.nih.gov/22767877>.
123. Christensen CC, Ryg M, Refvem OK, Skjonsberg OH. Development of severe hypoxaemia in chronic obstructive pulmonary disease patients at 2,438 m (8,000 ft) altitude. *Eur Respir J* 2000; **15**(4): 635-9 <https://pubmed.ncbi.nlm.nih.gov/10780752>.
124. Raveling T, Vonk J, Struik FM, et al. Chronic non-invasive ventilation for chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2021; **8**(8): CD002878 <https://pubmed.ncbi.nlm.nih.gov/34368950>.
125. Struik FM, Lacasse Y, Goldstein R, Kerstjens HM, Wijkstra PJ. Nocturnal non-invasive positive pressure ventilation for stable chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2013; **2013**(6): CD002878 <https://pubmed.ncbi.nlm.nih.gov/23766138>.
126. Srivali N, Thongprayoon C, Tangpanithandee S, Cheungpasitporn W, Won C. The use of continuous positive airway pressure in COPD-OSA overlap syndrome: A systematic review. *Sleep Med* 2023; **108**: 55-60 <https://pubmed.ncbi.nlm.nih.gov/37336060>.

127. Marin JM, Soriano JB, Carrizo SJ, Boldova A, Celli BR. Outcomes in patients with chronic obstructive pulmonary disease and obstructive sleep apnea: the overlap syndrome. *Am J Respir Crit Care Med* 2010; **182**(3): 325-31 <https://pubmed.ncbi.nlm.nih.gov/20378728>.
128. Elliott MW, Nava S. Noninvasive ventilation for acute exacerbations of chronic obstructive pulmonary disease: "Don't think twice, it's alright!". *Am J Respir Crit Care Med* 2012; **185**(2): 121-3 <https://pubmed.ncbi.nlm.nih.gov/22246701>.
129. Chandra D, Stamm JA, Taylor B, et al. Outcomes of noninvasive ventilation for acute exacerbations of chronic obstructive pulmonary disease in the United States, 1998-2008. *Am J Respir Crit Care Med* 2012; **185**(2): 152-9 <https://pubmed.ncbi.nlm.nih.gov/22016446>.
130. Lindenauer PK, Stefan MS, Shieh MS, Pekow PS, Rothberg MB, Hill NS. Outcomes associated with invasive and noninvasive ventilation among patients hospitalized with exacerbations of chronic obstructive pulmonary disease. *JAMA Intern Med* 2014; **174**(12): 1982-93 <https://pubmed.ncbi.nlm.nih.gov/25347545>.
131. Wilson ME, Dobler CC, Morrow AS, et al. Association of Home Noninvasive Positive Pressure Ventilation With Clinical Outcomes in Chronic Obstructive Pulmonary Disease: A Systematic Review and Meta-analysis. *JAMA* 2020; **323**(5): 455-65 <https://pubmed.ncbi.nlm.nih.gov/32016309>.
132. Murphy PB, Rehal S, Arbane G, et al. Effect of Home Noninvasive Ventilation With Oxygen Therapy vs Oxygen Therapy Alone on Hospital Readmission or Death After an Acute COPD Exacerbation: A Randomized Clinical Trial. *JAMA* 2017; **317**(21): 2177-86 <https://pubmed.ncbi.nlm.nih.gov/28528348>.
133. Galli JA, Krahne JS, James Mamary A, Shenoy K, Zhao H, Criner GJ. Home non-invasive ventilation use following acute hypercapnic respiratory failure in COPD. *Respir Med* 2014; **108**(5): 722-8 <https://pubmed.ncbi.nlm.nih.gov/24702885>.
134. Coughlin S, Liang WE, Parthasarathy S. Retrospective Assessment of Home Ventilation to Reduce Rehospitalization in Chronic Obstructive Pulmonary Disease. *J Clin Sleep Med* 2015; **11**(6): 663-70 <https://pubmed.ncbi.nlm.nih.gov/25766720>.
135. Clini E, Sturani C, Rossi A, et al. The Italian multicentre study on noninvasive ventilation in chronic obstructive pulmonary disease patients. *Eur Respir J* 2002; **20**(3): 529-38 <https://pubmed.ncbi.nlm.nih.gov/12358325>.
136. Kohnlein T, Windisch W, Kohler D, et al. Non-invasive positive pressure ventilation for the treatment of severe stable chronic obstructive pulmonary disease: a prospective, multicentre, randomised, controlled clinical trial. *Lancet Respir Med* 2014; **2**(9): 698-705 <https://pubmed.ncbi.nlm.nih.gov/25066329>.
137. Struik FM, Sprooten RT, Kerstjens HA, et al. Nocturnal non-invasive ventilation in COPD patients with prolonged hypercapnia after ventilatory support for acute respiratory failure: a randomised, controlled, parallel-group study. *Thorax* 2014; **69**(9): 826-34 <https://pubmed.ncbi.nlm.nih.gov/24781217>.
138. Casanova C, Celli BR, Tost L, et al. Long-term controlled trial of nocturnal nasal positive pressure ventilation in patients with severe COPD. *Chest* 2000; **118**(6): 1582-90 <https://pubmed.ncbi.nlm.nih.gov/11115443>.
139. White DP, Criner GJ, Dreher M, et al. The role of noninvasive ventilation in the management and mitigation of exacerbations and hospital admissions/readmissions for the patient with moderate to severe COPD (multimedia activity). *Chest* 2015; **147**(6): 1704-5 <https://pubmed.ncbi.nlm.nih.gov/26033131>.
140. Lightowler JV, Wedzicha JA, Elliott MW, Ram FS. Non-invasive positive pressure ventilation to treat respiratory failure resulting from exacerbations of chronic obstructive pulmonary disease: Cochrane systematic review and meta-analysis. *BMJ* 2003; **326**(7382): 185 <https://pubmed.ncbi.nlm.nih.gov/12543832>.
141. Kolodziej MA, Jensen L, Rowe B, Sir D. Systematic review of noninvasive positive pressure ventilation in severe stable COPD. *Eur Respir J* 2007; **30**(2): 293-306 <https://pubmed.ncbi.nlm.nih.gov/17459893>.
142. Whittaker H, Rothnie KJ, Quint JK. Cause-specific mortality in COPD subpopulations: a cohort study of 339 647 people in England. *Thorax* 2023; <https://pubmed.ncbi.nlm.nih.gov/37328279>.
143. Calverley PM, Anderson JA, Celli B, et al. Salmeterol and fluticasone propionate and survival in chronic obstructive pulmonary disease. *N Engl J Med* 2007; **356**(8): 775-89 <https://pubmed.ncbi.nlm.nih.gov/17314337>.
144. Vestbo J, Anderson J, Brook RD, et al. The Study to Understand Mortality and Morbidity in COPD (SUMMIT) study protocol. *Eur Respir J* 2013; **41**(5): 1017-22 <https://pubmed.ncbi.nlm.nih.gov/23018908>.
145. Anthonisen NR, Skeans MA, Wise RA, et al. The effects of a smoking cessation intervention on 14.5-year mortality: a randomized clinical trial. *Ann Intern Med* 2005; **142**(4): 233-9 <https://pubmed.ncbi.nlm.nih.gov/15710956>.
146. Lu HY, Chen CF, Lee DL, Tsai YJ, Lin PC. Effects of Early Pulmonary Rehabilitation on Hospitalized Patients with Acute Exacerbation of Chronic Obstructive Pulmonary Disease: A Systematic Review and Meta-Analysis. *Int J Chron Obstruct Pulmon Dis* 2023; **18**: 881-93 <https://pubmed.ncbi.nlm.nih.gov/37215744>.
147. Ryrsø CK, Godtfredsen NS, Kofod LM, et al. Lower mortality after early supervised pulmonary rehabilitation following COPD-exacerbations: a systematic review and meta-analysis. *BMC Pulm Med* 2018; **18**(1): 154 <https://pubmed.ncbi.nlm.nih.gov/30219047>.
148. Puhan MA, Gimeno-Santos E, Scharplatz M, Troosters T, Walters EH, Steurer J. Pulmonary rehabilitation following exacerbations of chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2011; (10): CD005305 <https://pubmed.ncbi.nlm.nih.gov/21975749>.
149. Puhan MA, Gimeno-Santos E, Cates CJ, Troosters T. Pulmonary rehabilitation following exacerbations of chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2016; **12**(12): Cd005305 <https://pubmed.ncbi.nlm.nih.gov/27930803>.
150. Lindenauer PK, Stefan MS, Pekow PS, et al. Association Between Initiation of Pulmonary Rehabilitation After Hospitalization for COPD and 1-Year Survival Among Medicare Beneficiaries. *JAMA* 2020; **323**(18): 1813-23 <https://pubmed.ncbi.nlm.nih.gov/32396181>.

151. NOTT Nocturnal Oxygen Therapy Trial Group. Continuous or nocturnal oxygen therapy in hypoxic chronic obstructive lung disease: a clinical trial. Nocturnal Oxygen Therapy Trial Group. *Ann Intern Med* 1980; **93**(3): 391-8 <https://pubmed.ncbi.nlm.nih.gov/6776858>.
152. MRC Working Party. Long term domiciliary oxygen therapy in chronic hypoxic cor pulmonale complicating chronic bronchitis and emphysema. Report of the Medical Research Council Working Party. *Lancet* 1981; **1**(8222): 681-6 <https://pubmed.ncbi.nlm.nih.gov/6110912>.
153. Lacasse Y, Casaburi R, Sliwinski P, et al. Home oxygen for moderate hypoxaemia in chronic obstructive pulmonary disease: a systematic review and meta-analysis. *Lancet Respir Med* 2022; **10**(11): 1029-37 <https://pubmed.ncbi.nlm.nih.gov/35817074>.
154. Park SY, Yoo KH, Park YB, et al. The Long-term Efficacy of Domiciliary Noninvasive Positive-Pressure Ventilation in Chronic Obstructive Pulmonary Disease: A Meta-Analysis of Randomized Controlled Trials. *Tuberc Respir Dis (Seoul)* 2022; **85**(1): 47-55 <https://pubmed.ncbi.nlm.nih.gov/34775737>.
155. McEvoy RD, Pierce RJ, Hillman D, et al. Nocturnal non-invasive nasal ventilation in stable hypercapnic COPD: a randomised controlled trial. *Thorax* 2009; **64**(7): 561-6 <https://pubmed.ncbi.nlm.nih.gov/19213769>.
156. Vock DM, Durheim MT, Tsuang WM, et al. Survival Benefit of Lung Transplantation in the Modern Era of Lung Allocation. *Ann Am Thorac Soc* 2017; **14**(2): 172-81 <https://pubmed.ncbi.nlm.nih.gov/27779905>.
157. Fishman A, Martinez F, Naunheim K, et al. A randomized trial comparing lung-volume-reduction surgery with medical therapy for severe emphysema. *N Engl J Med* 2003; **348**(21): 2059-73 <https://pubmed.ncbi.nlm.nih.gov/12759479>.
158. Burge PS, Calverley PM, Jones PW, Spencer S, Anderson JA, Maslen TK. Randomised, double blind, placebo controlled study of fluticasone propionate in patients with moderate to severe chronic obstructive pulmonary disease: the ISOLDE trial. *BMJ* 2000; **320**(7245): 1297-303 <https://pubmed.ncbi.nlm.nih.gov/10807619>.
159. Anthonisen NR, Connett JE, Kiley JP, et al. Effects of smoking intervention and the use of an inhaled anticholinergic bronchodilator on the rate of decline of FEV1. The Lung Health Study. *JAMA* 1994; **272**(19): 1497-505 <https://pubmed.ncbi.nlm.nih.gov/7966841>.
160. Pauwels RA, Lofdahl CG, Laitinen LA, et al. Long-term treatment with inhaled budesonide in persons with mild chronic obstructive pulmonary disease who continue smoking. European Respiratory Society Study on Chronic Obstructive Pulmonary Disease. *N Engl J Med* 1999; **340**(25): 1948-53 <https://pubmed.ncbi.nlm.nih.gov/10379018>.
161. Vestbo J, Sorensen T, Lange P, Brix A, Torre P, Viskum K. Long-term effect of inhaled budesonide in mild and moderate chronic obstructive pulmonary disease: a randomised controlled trial. *Lancet* 1999; **353**(9167): 1819-23 <https://pubmed.ncbi.nlm.nih.gov/10359405>.
162. Tashkin DP, Celli B, Senn S, et al. A 4-year trial of tiotropium in chronic obstructive pulmonary disease. *N Engl J Med* 2008; **359**(15): 1543-54 <https://pubmed.ncbi.nlm.nih.gov/18836213>.
163. Celli BR, Anderson JA, Cowans NJ, et al. Pharmacotherapy and Lung Function Decline in Patients with Chronic Obstructive Pulmonary Disease. A Systematic Review. *Am J Respir Crit Care Med* 2021; **203**(6): 689-98 <https://pubmed.ncbi.nlm.nih.gov/32966751>.
164. World Health Organization. WHO package of essential noncommunicable (PEN) disease interventions for primary health care. Geneva. Licence: CC BY-NC-SA 3.0 IGO, online document available here: [https://www.who.int/publications/i/item/who-package-of-essential-noncommunicable-\(pen\)-disease-interventions-for-primary-health-care](https://www.who.int/publications/i/item/who-package-of-essential-noncommunicable-(pen)-disease-interventions-for-primary-health-care) [accessed Oct 2023].
165. O'Donnell DE, Fluge T, Gerken F, et al. Effects of tiotropium on lung hyperinflation, dyspnoea and exercise tolerance in COPD. *Eur Respir J* 2004; **23**(6): 832-40 <https://pubmed.ncbi.nlm.nih.gov/15218994>.
166. O'Donnell DE, Sciurba F, Celli B, et al. Effect of fluticasone propionate/salmeterol on lung hyperinflation and exercise endurance in COPD. *Chest* 2006; **130**(3): 647-56 <https://pubmed.ncbi.nlm.nih.gov/16963658>.
167. Berger R, Smith D. Effect of inhaled metaproterenol on exercise performance in patients with stable "fixed" airway obstruction. *Am Rev Respir Dis* 1988; **138**(3): 624-9 <https://pubmed.ncbi.nlm.nih.gov/3202416>.
168. Hay JG, Stone P, Carter J, et al. Bronchodilator reversibility, exercise performance and breathlessness in stable chronic obstructive pulmonary disease. *Eur Respir J* 1992; **5**(6): 659-64 <https://pubmed.ncbi.nlm.nih.gov/1628722>.
169. Chrystyn H, Mulley BA, Peake MD. Dose response relation to oral theophylline in severe chronic obstructive airways disease. *BMJ* 1988; **297**(6662): 1506-10 <https://pubmed.ncbi.nlm.nih.gov/3147048>.
170. Gross NJ, Petty TL, Friedman M, Skorodin MS, Silvers GW, Donohue JF. Dose response to ipratropium as a nebulized solution in patients with chronic obstructive pulmonary disease. A three-center study. *Am Rev Respir Dis* 1989; **139**(5): 1188-91 <https://pubmed.ncbi.nlm.nih.gov/2523681>.
171. Higgins BG, Powell RM, Cooper S, Tattersfield AE. Effect of salbutamol and ipratropium bromide on airway calibre and bronchial reactivity in asthma and chronic bronchitis. *Eur Respir J* 1991; **4**(4): 415-20 <https://pubmed.ncbi.nlm.nih.gov/1830277>.
172. Vathen AS, Britton JR, Ebden P, Cookson JB, Wharrad HJ, Tattersfield AE. High-dose inhaled albuterol in severe chronic airflow limitation. *Am Rev Respir Dis* 1988; **138**(4): 850-5 <https://pubmed.ncbi.nlm.nih.gov/2462383>.
173. Donohue JF, Anzueto A, Brooks J, Mehta R, Kalberg C, Crater G. A randomized, double-blind dose-ranging study of the novel LAMA GSK573719 in patients with COPD. *Respir Med* 2012; **106**(7): 970-9 <https://pubmed.ncbi.nlm.nih.gov/22498110>.
174. Donohue JF, Kalberg C, Shah P, et al. Dose response of umeclidinium administered once or twice daily in patients with COPD: a pooled analysis of two randomized, double-blind, placebo-controlled studies. *J Clin Pharmacol* 2014; **54**(11): 1214-20 <https://pubmed.ncbi.nlm.nih.gov/24895108>.

175. Chowdhury BA, Seymour SM, Michele TM, Durmowicz AG, Liu D, Rosebraugh CJ. The risks and benefits of indacaterol--the FDA's review. *N Engl J Med* 2011; **365**(24): 2247-9 <https://pubmed.ncbi.nlm.nih.gov/22168640>.
176. O'Driscoll BR, Kay EA, Taylor RJ, Weatherby H, Chetty MC, Bernstein A. A long-term prospective assessment of home nebulizer treatment. *Respir Med* 1992; **86**(4): 317-25 <https://pubmed.ncbi.nlm.nih.gov/1448587>.
177. Jenkins SC, Heaton RW, Fulton TJ, Moxham J. Comparison of domiciliary nebulized salbutamol and salbutamol from a metered-dose inhaler in stable chronic airflow limitation. *Chest* 1987; **91**(6): 804-7 <https://pubmed.ncbi.nlm.nih.gov/3556051>.
178. Sestini P, Renzoni E, Robinson S, Poole P, Ram FS. Short-acting beta 2 agonists for stable chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2002; (4): CD001495 <https://pubmed.ncbi.nlm.nih.gov/12519559>.
179. Cazzola M, Rogliani P, Ruggeri P, et al. Chronic treatment with indacaterol and airway response to salbutamol in stable COPD. *Respir Med* 2013; **107**(6): 848-53 <https://pubmed.ncbi.nlm.nih.gov/23490225>.
180. Kew KM, Mavergames C, Walters JA. Long-acting beta2-agonists for chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2013; **10**(10): CD010177 <https://pubmed.ncbi.nlm.nih.gov/24127118>.
181. Han J, Dai L, Zhong N. Indacaterol on dyspnea in chronic obstructive pulmonary disease: a systematic review and meta-analysis of randomized placebo-controlled trials. *BMC Pulm Med* 2013; **13**: 26 <https://pubmed.ncbi.nlm.nih.gov/23617268>.
182. Geake JB, Dabscheck EJ, Wood-Baker R, Cates CJ. Indacaterol, a once-daily beta2-agonist, versus twice-daily beta(2)-agonists or placebo for chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2015; **1**(1): CD010139 <https://pubmed.ncbi.nlm.nih.gov/25575340>.
183. Koch A, Pizzichini E, Hamilton A, et al. Lung function efficacy and symptomatic benefit of olodaterol once daily delivered via Respimat(R) versus placebo and formoterol twice daily in patients with GOLD 2-4 COPD: results from two replicate 48-week studies. *Int J Chron Obstruct Pulmon Dis* 2014; **9**: 697-714 <https://pubmed.ncbi.nlm.nih.gov/25045258>.
184. Kempsford R, Norris V, Siederer S. Vilanterol trifenatate, a novel inhaled long-acting beta2 adrenoceptor agonist, is well tolerated in healthy subjects and demonstrates prolonged bronchodilation in subjects with asthma and COPD. *Pulm Pharmacol Ther* 2013; **26**(2): 256-64 <https://pubmed.ncbi.nlm.nih.gov/23232038>.
185. Lipworth BJ, McDevitt DG, Struthers AD. Hypokalemic and ECG sequelae of combined beta-agonist/diuretic therapy. Protection by conventional doses of spironolactone but not triamterene. *Chest* 1990; **98**(4): 811-5 <https://pubmed.ncbi.nlm.nih.gov/2209135>.
186. Uren NG, Davies SW, Jordan SL, Lipkin DP. Inhaled bronchodilators increase maximum oxygen consumption in chronic left ventricular failure. *Eur Heart J* 1993; **14**(6): 744-50 <https://pubmed.ncbi.nlm.nih.gov/8325299>.
187. Khoukaz G, Gross NJ. Effects of salmeterol on arterial blood gases in patients with stable chronic obstructive pulmonary disease. Comparison with albuterol and ipratropium. *Am J Respir Crit Care Med* 1999; **160**(3): 1028-30 <https://pubmed.ncbi.nlm.nih.gov/10471636>.
188. McGarvey L, Niewoehner D, Magder S, et al. One-Year Safety of Olodaterol Once Daily via Respimat(R) in Patients with GOLD 2-4 Chronic Obstructive Pulmonary Disease: Results of a Pre-Specified Pooled Analysis. *COPD* 2015; **12**(5): 484-93 <https://pubmed.ncbi.nlm.nih.gov/25692310>.
189. Dahl R, Chung KF, Buhl R, et al. Efficacy of a new once-daily long-acting inhaled beta2-agonist indacaterol versus twice-daily formoterol in COPD. *Thorax* 2010; **65**(6): 473-9 <https://pubmed.ncbi.nlm.nih.gov/20522841>.
190. Melani AS. Long-acting muscarinic antagonists. *Expert Rev Clin Pharmacol* 2015; **8**(4): 479-501 <https://pubmed.ncbi.nlm.nih.gov/26109098>.
191. Barnes P. Bronchodilators: basic pharmacology. In: Calverley PMA, Pride NB, eds. *Chronic Obstructive Pulmonary Disease*. London: Chapman and Hall; 1995: 391-417.
192. Appleton S, Jones T, Poole P, et al. Ipratropium bromide versus long-acting beta-2 agonists for stable chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2006; **2006**(3): CD006101 <https://pubmed.ncbi.nlm.nih.gov/16856113>.
193. Jones PW, Singh D, Bateman ED, et al. Efficacy and safety of twice-daily aclidinium bromide in COPD patients: the ATTAIN study. *Eur Respir J* 2012; **40**(4): 830-6 <https://pubmed.ncbi.nlm.nih.gov/22441743>.
194. Karner C, Chong J, Poole P. Tiotropium versus placebo for chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2014; **2014**(7): CD009285 <https://pubmed.ncbi.nlm.nih.gov/25046211>.
195. Calzetta L, Ritondo BL, Zappa MC, et al. The impact of long-acting muscarinic antagonists on mucus hypersecretion and cough in chronic obstructive pulmonary disease: a systematic review. *Eur Respir Rev* 2022; **31**(164): <https://pubmed.ncbi.nlm.nih.gov/35508331>.
196. Kesten S, Casaburi R, Kukafka D, Cooper CB. Improvement in self-reported exercise participation with the combination of tiotropium and rehabilitative exercise training in COPD patients. *Int J Chron Obstruct Pulmon Dis* 2008; **3**(1): 127-36 <https://pubmed.ncbi.nlm.nih.gov/18488436>.
197. Casaburi R, Kukafka D, Cooper CB, Witek TJ, Jr., Kesten S. Improvement in exercise tolerance with the combination of tiotropium and pulmonary rehabilitation in patients with COPD. *Chest* 2005; **127**(3): 809-17 <https://pubmed.ncbi.nlm.nih.gov/15764761>.
198. Vogelmeier C, Hederer B, Glaab T, et al. Tiotropium versus salmeterol for the prevention of exacerbations of COPD. *N Engl J Med* 2011; **364**(12): 1093-103 <https://pubmed.ncbi.nlm.nih.gov/21428765>.
199. Decramer ML, Chapman KR, Dahl R, et al. Once-daily indacaterol versus tiotropium for patients with severe chronic obstructive pulmonary disease (INVIGORATE): a randomised, blinded, parallel-group study. *Lancet Respir Med* 2013; **1**(7): 524-33 <https://pubmed.ncbi.nlm.nih.gov/24461613>.

200. Tashkin DP. Long-acting anticholinergic use in chronic obstructive pulmonary disease: efficacy and safety. *Curr Opin Pulm Med* 2010; **16**(2): 97-105 <https://pubmed.ncbi.nlm.nih.gov/20019615>.
201. Disse B, Speck GA, Rominger KL, Witek TJ, Jr., Hammer R. Tiotropium (Spiriva): mechanistical considerations and clinical profile in obstructive lung disease. *Life Sci* 1999; **64**(6-7): 457-64 <https://pubmed.ncbi.nlm.nih.gov/10069510>.
202. Kesten S, Jara M, Wentworth C, Lanes S. Pooled clinical trial analysis of tiotropium safety. *Chest* 2006; **130**(6): 1695-703 <https://pubmed.ncbi.nlm.nih.gov/17166984>.
203. Anthonisen NR, Connell JE, Enright PL, Manfreda J, Lung Health Study Research G. Hospitalizations and mortality in the Lung Health Study. *Am J Respir Crit Care Med* 2002; **166**(3): 333-9 <https://pubmed.ncbi.nlm.nih.gov/12153966>.
204. Michele TM, Pinheiro S, Iyasu S. The safety of tiotropium--the FDA's conclusions. *N Engl J Med* 2010; **363**(12): 1097-9 <https://pubmed.ncbi.nlm.nih.gov/20843240>.
205. Verhamme KM, Afonso A, Romio S, Stricker BC, Brusselle GG, Sturkenboom MC. Use of tiotropium Respimat Soft Mist Inhaler versus HandiHaler and mortality in patients with COPD. *Eur Respir J* 2013; **42**(3): 606-15 <https://pubmed.ncbi.nlm.nih.gov/23520322>.
206. Wise RA, Anzueto A, Cotton D, et al. Tiotropium Respimat inhaler and the risk of death in COPD. *N Engl J Med* 2013; **369**(16): 1491-501 <https://pubmed.ncbi.nlm.nih.gov/23992515>.
207. Packe GE, Cayton RM, Mashhoudi N. Nebulised ipratropium bromide and salbutamol causing closed-angle glaucoma. *Lancet* 1984; **2**(8404): 691 <https://pubmed.ncbi.nlm.nih.gov/6147708>.
208. Mulpeter KM, Walsh JB, O'Connor M, O'Connell F, Burke C. Ocular hazards of nebulized bronchodilators. *Postgrad Med J* 1992; **68**(796): 132-3 <https://pubmed.ncbi.nlm.nih.gov/1533281>.
209. Hall SK. Acute angle-closure glaucoma as a complication of combined beta-agonist and ipratropium bromide therapy in the emergency department. *Ann Emerg Med* 1994; **23**(4): 884-7 <https://pubmed.ncbi.nlm.nih.gov/8161065>.
210. Aubier M. Pharmacotherapy of respiratory muscles. *Clin Chest Med* 1988; **9**(2): 311-24 <https://pubmed.ncbi.nlm.nih.gov/3292130>.
211. McKay SE, Howie CA, Thomson AH, Whiting B, Addis GJ. Value of theophylline treatment in patients handicapped by chronic obstructive lung disease. *Thorax* 1993; **48**(3): 227-32 <https://pubmed.ncbi.nlm.nih.gov/8497820>.
212. Moxham J. Aminophylline and the respiratory muscles: an alternative view. *Clin Chest Med* 1988; **9**(2): 325-36 <https://pubmed.ncbi.nlm.nih.gov/3292131>.
213. Ram FS, Jones PW, Castro AA, et al. Oral theophylline for chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2002; **2002**(4): CD003902 <https://pubmed.ncbi.nlm.nih.gov/12519617>.
214. ZuWallack RL, Mahler DA, Reilly D, et al. Salmeterol plus theophylline combination therapy in the treatment of COPD. *Chest* 2001; **119**(6): 1661-70 <https://pubmed.ncbi.nlm.nih.gov/11399688>.
215. Zacarias EC, Castro AA, Cendon S. Effect of theophylline associated with short-acting or long-acting inhaled beta<sub>2</sub>-agonists in patients with stable chronic obstructive pulmonary disease: a systematic review. *J Bras Pneumol* 2007; **33**(2): 152-60 <https://pubmed.ncbi.nlm.nih.gov/17724534>.
216. Cosio BG, Shafiek H, Iglesias A, et al. Oral Low-dose Theophylline on Top of Inhaled Fluticasone-Salmeterol Does Not Reduce Exacerbations in Patients With Severe COPD: A Pilot Clinical Trial. *Chest* 2016; **150**(1): 123-30 <https://pubmed.ncbi.nlm.nih.gov/27107490>.
217. Zhou Y, Wang X, Zeng X, et al. Positive benefits of theophylline in a randomized, double-blind, parallel-group, placebo-controlled study of low-dose, slow-release theophylline in the treatment of COPD for 1 year. *Respirology* 2006; **11**(5): 603-10 <https://pubmed.ncbi.nlm.nih.gov/16916334>.
218. Devereux G, Cotton S, Fielding S, et al. Effect of Theophylline as Adjunct to Inhaled Corticosteroids on Exacerbations in Patients With COPD: A Randomized Clinical Trial. *JAMA* 2018; **320**(15): 1548-59 <https://pubmed.ncbi.nlm.nih.gov/30326124>.
219. Jenkins CR, Wen FQ, Martin A, et al. The effect of low-dose corticosteroids and theophylline on the risk of acute exacerbations of COPD: the TASCS randomised controlled trial. *Eur Respir J* 2021; **57**(6): <https://pubmed.ncbi.nlm.nih.gov/33334939>.
220. Cazzola M, Molimard M. The scientific rationale for combining long-acting beta<sub>2</sub>-agonists and muscarinic antagonists in COPD. *Pulm Pharmacol Ther* 2010; **23**(4): 257-67 <https://pubmed.ncbi.nlm.nih.gov/20381630>.
221. Ray R, Tombs L, Naya I, Compton C, Lipson DA, Boucot I. Efficacy and safety of the dual bronchodilator combination umeclidinium/vilanterol in COPD by age and airflow limitation severity: A pooled post hoc analysis of seven clinical trials. *Pulm Pharmacol Ther* 2019; **57**: 101802 <https://pubmed.ncbi.nlm.nih.gov/31096036>.
222. Gross N, Tashkin D, Miller R, Oren J, Coleman W, Linberg S. Inhalation by nebulization of albuterol-ipratropium combination (Dey combination) is superior to either agent alone in the treatment of chronic obstructive pulmonary disease. Dey Combination Solution Study Group. *Respiration* 1998; **65**(5): 354-62 <https://pubmed.ncbi.nlm.nih.gov/9782217>.
223. Tashkin DP, Pearle J, Iezzoni D, Varghese ST. Formoterol and tiotropium compared with tiotropium alone for treatment of COPD. *COPD* 2009; **6**(1): 17-25 <https://pubmed.ncbi.nlm.nih.gov/19229704>.
224. Farne HA, Cates CJ. Long-acting beta<sub>2</sub>-agonist in addition to tiotropium versus either tiotropium or long-acting beta<sub>2</sub>-agonist alone for chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2015; **10**(10): CD008989 <https://pubmed.ncbi.nlm.nih.gov/26490945>.
225. Halpin DMG, Rothnie KJ, Banks V, et al. Comparative Adherence and Persistence of Single- and Multiple-Inhaler Triple Therapies Among Patients with Chronic Obstructive Pulmonary Disease in an English Real-World Primary Care Setting. *Int J Chron Obstruct Pulmon Dis* 2022; **17**: 2417-29 <https://pubmed.ncbi.nlm.nih.gov/36185170>.

226. van der Molen T, Cazzola M. Beyond lung function in COPD management: effectiveness of LABA/LAMA combination therapy on patient-centred outcomes. *Prim Care Respir J* 2012; **21**(1): 101-8 <https://pubmed.ncbi.nlm.nih.gov/22222945>.
227. Mahler DA, Decramer M, D'Urzo A, et al. Dual bronchodilation with QVA149 reduces patient-reported dyspnoea in COPD: the BLAZE study. *Eur Respir J* 2014; **43**(6): 1599-609 <https://pubmed.ncbi.nlm.nih.gov/24176997>.
228. Singh D, Ferguson GT, Bolitschek J, et al. Tiotropium + olodaterol shows clinically meaningful improvements in quality of life. *Respir Med* 2015; **109**(10): 1312-9 <https://pubmed.ncbi.nlm.nih.gov/26320402>.
229. Bateman ED, Chapman KR, Singh D, et al. Aclidinium bromide and formoterol fumarate as a fixed-dose combination in COPD: pooled analysis of symptoms and exacerbations from two six-month, multicentre, randomised studies (ACLIFORM and AUGMENT). *Respir Res* 2015; **16**(1): 92 <https://pubmed.ncbi.nlm.nih.gov/26233481>.
230. Martinez FJ, Fabbri LM, Ferguson GT, et al. Baseline Symptom Score Impact on Benefits of Glycopyrrolate/Formoterol Metered Dose Inhaler in COPD. *Chest* 2017; **152**(6): 1169-78 <https://pubmed.ncbi.nlm.nih.gov/28720336>.
231. Vogelmeier CF, Kerwin EM, Bjermer LH, et al. Impact of baseline COPD symptom severity on the benefit from dual versus mono-bronchodilators: an analysis of the EMAX randomised controlled trial. *Ther Adv Respir Dis* 2020; **14**: 1753466620968500 <https://pubmed.ncbi.nlm.nih.gov/33167780>.
232. Mahler DA, Kerwin E, Ayers T, et al. FLIGHT1 and FLIGHT2: Efficacy and Safety of QVA149 (Indacaterol/Glycopyrrolate) versus Its Monocomponents and Placebo in Patients with Chronic Obstructive Pulmonary Disease. *Am J Respir Crit Care Med* 2015; **192**(9): 1068-79 <https://pubmed.ncbi.nlm.nih.gov/26177074>.
233. Bai C, Ichinose M, Lee SH, et al. Lung function and long-term safety of tiotropium/olodaterol in East Asian patients with chronic obstructive pulmonary disease. *Int J Chron Obstruct Pulmon Dis* 2017; **12**: 3329-39 <https://pubmed.ncbi.nlm.nih.gov/29200840>.
234. Wedzicha JA, Decramer M, Ficker JH, et al. Analysis of chronic obstructive pulmonary disease exacerbations with the dual bronchodilator QVA149 compared with glycopyrronium and tiotropium (SPARK): a randomised, double-blind, parallel-group study. *Lancet Respir Med* 2013; **1**(3): 199-209 <https://pubmed.ncbi.nlm.nih.gov/24429126>.
235. Calverley PMA, Anzueto AR, Carter K, et al. Tiotropium and olodaterol in the prevention of chronic obstructive pulmonary disease exacerbations (DYNAGITO): a double-blind, randomised, parallel-group, active-controlled trial. *Lancet Respir Med* 2018; **6**(5): 337-44 <https://pubmed.ncbi.nlm.nih.gov/29605624>.
236. Wedzicha JA, Banerji D, Chapman KR, et al. Indacaterol-Glycopyrronium versus Salmeterol-Fluticasone for COPD. *N Engl J Med* 2016; **374**(23): 2222-34 <https://pubmed.ncbi.nlm.nih.gov/27181606>.
237. Suissa S, Dell'Aniello S, Ernst P. Comparative Effectiveness and Safety of LABA-LAMA vs LABA-ICS Treatment of COPD in Real-World Clinical Practice. *Chest* 2019; **155**(6): 1158-65 <https://pubmed.ncbi.nlm.nih.gov/30922950>.
238. Barnes PJ. New anti-inflammatory targets for chronic obstructive pulmonary disease. *Nat Rev Drug Discov* 2013; **12**(7): 543-59 <https://pubmed.ncbi.nlm.nih.gov/23977698>.
239. Boardman C, Chachi L, Gavrilis A, et al. Mechanisms of glucocorticoid action and insensitivity in airways disease. *Pulm Pharmacol Ther* 2014; **29**(2): 129-43 <https://pubmed.ncbi.nlm.nih.gov/25218650>.
240. Sonnex K, Alleemudder H, Knaggs R. Impact of smoking status on the efficacy of inhaled corticosteroids in chronic obstructive pulmonary disease: a systematic review. *BMJ Open* 2020; **10**(4): e037509 <https://pubmed.ncbi.nlm.nih.gov/32300001>.
241. Yang IA, Clarke MS, Sim EH, Fong KM. Inhaled corticosteroids for stable chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2012; **2012**(7): CD002991 <https://pubmed.ncbi.nlm.nih.gov/22786484>.
242. Vestbo J, Anderson JA, Brook RD, et al. Fluticasone furoate and vilanterol and survival in chronic obstructive pulmonary disease with heightened cardiovascular risk (SUMMIT): a double-blind randomised controlled trial. *Lancet* 2016; **387**(10030): 1817-26 <https://pubmed.ncbi.nlm.nih.gov/27203508>.
243. Calverley PMA, Anderson JA, Brook RD, et al. Fluticasone Furoate, Vilanterol, and Lung Function Decline in Patients with Moderate Chronic Obstructive Pulmonary Disease and Heightened Cardiovascular Risk. *Am J Respir Crit Care Med* 2018; **197**(1): 47-55 <https://pubmed.ncbi.nlm.nih.gov/28737971>.
244. Suissa S, Dell'Aniello S, Gonzalez AV, Ernst P. Inhaled corticosteroid use and the incidence of lung cancer in COPD. *Eur Respir J* 2020; **55**(2): 1901720 <https://pubmed.ncbi.nlm.nih.gov/31744837>.
245. Nannini LJ, Lasserson TJ, Poole P. Combined corticosteroid and long-acting beta(2)-agonist in one inhaler versus long-acting beta(2)-agonists for chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2012; **2012**(9): CD006829 <https://pubmed.ncbi.nlm.nih.gov/22972099>.
246. Nannini LJ, Poole P, Milan SJ, Kesterton A. Combined corticosteroid and long-acting beta(2)-agonist in one inhaler versus inhaled corticosteroids alone for chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2013; **2013**(8): CD006826 <https://pubmed.ncbi.nlm.nih.gov/23990350>.
247. Vestbo J, Leather D, Diar Bakerly N, et al. Effectiveness of Fluticasone Furoate-Vilanterol for COPD in Clinical Practice. *N Engl J Med* 2016; **375**(13): 1253-60 <https://pubmed.ncbi.nlm.nih.gov/27593504>.
248. Beech AS, Lea S, Kolsum U, et al. Bacteria and sputum inflammatory cell counts; a COPD cohort analysis. *Respir Res* 2020; **21**(1): 289 <https://pubmed.ncbi.nlm.nih.gov/33131502>.
249. Dicker AJ, Huang JTJ, Lonergan M, et al. The sputum microbiome, airway inflammation, and mortality in chronic obstructive pulmonary disease. *J Allergy Clin Immunol* 2021; **147**(1): 158-67 <https://pubmed.ncbi.nlm.nih.gov/32353489>.

250. Wang Z, Locantore N, Haldar K, et al. Inflammatory Endotype-associated Airway Microbiome in Chronic Obstructive Pulmonary Disease Clinical Stability and Exacerbations: A Multicohort Longitudinal Analysis. *Am J Respir Crit Care Med* 2021; **203**(12): 1488-502 <https://pubmed.ncbi.nlm.nih.gov/33332995>.
251. Martinez-Garcia MA, Faner R, Oscullo G, et al. Inhaled Steroids, Circulating Eosinophils, Chronic Airway Infection, and Pneumonia Risk in Chronic Obstructive Pulmonary Disease. A Network Analysis. *Am J Respir Crit Care Med* 2020; **201**(9): 1078-85 <https://pubmed.ncbi.nlm.nih.gov/31922913>.
252. Roche N, Chapman KR, Vogelmeier CF, et al. Blood Eosinophils and Response to Maintenance Chronic Obstructive Pulmonary Disease Treatment. Data from the FLAME Trial. *Am J Respir Crit Care Med* 2017; **195**(9): 1189-97 <https://pubmed.ncbi.nlm.nih.gov/28278391>.
253. Watz H, Tetzlaff K, Wouters EF, et al. Blood eosinophil count and exacerbations in severe chronic obstructive pulmonary disease after withdrawal of inhaled corticosteroids: a post-hoc analysis of the WISDOM trial. *Lancet Respir Med* 2016; **4**(5): 390-8 <https://pubmed.ncbi.nlm.nih.gov/27066739>.
254. Agusti A, Fabri LM, Singh D, et al. Inhaled corticosteroids in COPD: friend or foe? *Eur Respir J* 2018; **52**(6): 1801219 <https://pubmed.ncbi.nlm.nih.gov/30190269>.
255. Leitao Filho FS, Takiguchi H, Akata K, et al. Effects of Inhaled Corticosteroid/Long-Acting beta(2)-Agonist Combination on the Airway Microbiome of Patients with Chronic Obstructive Pulmonary Disease: A Randomized Controlled Clinical Trial (DISARM). *Am J Respir Crit Care Med* 2021; **204**(10): 1143-52 <https://pubmed.ncbi.nlm.nih.gov/34464242>.
256. Dransfield MT, Bourbeau J, Jones PW, et al. Once-daily inhaled fluticasone furoate and vilanterol versus vilanterol only for prevention of exacerbations of COPD: two replicate double-blind, parallel-group, randomised controlled trials. *Lancet Respir Med* 2013; **1**(3): 210-23 <https://pubmed.ncbi.nlm.nih.gov/24429127>.
257. Crim C, Dransfield MT, Bourbeau J, et al. Pneumonia risk with inhaled fluticasone furoate and vilanterol compared with vilanterol alone in patients with COPD. *Ann Am Thorac Soc* 2015; **12**(1): 27-34 <https://pubmed.ncbi.nlm.nih.gov/25490706>.
258. Crim C, Calverley PMA, Anderson JA, et al. Pneumonia risk with inhaled fluticasone furoate and vilanterol in COPD patients with moderate airflow limitation: The SUMMIT trial. *Respir Med* 2017; **131**: 27-34 <https://pubmed.ncbi.nlm.nih.gov/28947039>.
259. Pavord ID, Lettis S, Anzueto A, Barnes N. Blood eosinophil count and pneumonia risk in patients with chronic obstructive pulmonary disease: a patient-level meta-analysis. *Lancet Respir Med* 2016; **4**(9): 731-41 <https://pubmed.ncbi.nlm.nih.gov/27460163>.
260. Johnell O, Pauwels R, Lofdahl CG, et al. Bone mineral density in patients with chronic obstructive pulmonary disease treated with budesonide Turbuhaler. *Eur Respir J* 2002; **19**(6): 1058-63 <https://pubmed.ncbi.nlm.nih.gov/12108857>.
261. Ferguson GT, Calverley PMA, Anderson JA, et al. Prevalence and progression of osteoporosis in patients with COPD: results from the TOwards a Revolution in COPD Health study. *Chest* 2009; **136**(6): 1456-65 <https://pubmed.ncbi.nlm.nih.gov/19581353>.
262. Loke YK, Cavallazzi R, Singh S. Risk of fractures with inhaled corticosteroids in COPD: systematic review and meta-analysis of randomised controlled trials and observational studies. *Thorax* 2011; **66**(8): 699-708 <https://pubmed.ncbi.nlm.nih.gov/21602540>.
263. Suissa S, Kezouh A, Ernst P. Inhaled corticosteroids and the risks of diabetes onset and progression. *Am J Med* 2010; **123**(11): 1001-6 <https://pubmed.ncbi.nlm.nih.gov/20870201>.
264. Wang JJ, Rochtchina E, Tan AG, Cumming RG, Leeder SR, Mitchell P. Use of inhaled and oral corticosteroids and the long-term risk of cataract. *Ophthalmology* 2009; **116**(4): 652-7 <https://pubmed.ncbi.nlm.nih.gov/19243828>.
265. Andrejak C, Nielsen R, Thomsen VO, Duhaut P, Sorensen HT, Thomsen RW. Chronic respiratory disease, inhaled corticosteroids and risk of non-tuberculous mycobacteriosis. *Thorax* 2013; **68**(3): 256-62 <https://pubmed.ncbi.nlm.nih.gov/22781123>.
266. Dong YH, Chang CH, Wu FL, et al. Use of inhaled corticosteroids in patients with COPD and the risk of TB and influenza: A systematic review and meta-analysis of randomized controlled trials. a systematic review and meta-analysis of randomized controlled trials. *Chest* 2014; **145**(6): 1286-97 <https://pubmed.ncbi.nlm.nih.gov/24504044>.
267. Lee CH, Kim K, Hyun MK, Jang EJ, Lee NR, Yim JJ. Use of inhaled corticosteroids and the risk of tuberculosis. *Thorax* 2013; **68**(12): 1105-13 <https://pubmed.ncbi.nlm.nih.gov/23749841>.
268. Castellana G, Castellana M, Castellana C, et al. Inhaled Corticosteroids And Risk Of Tuberculosis In Patients With Obstructive Lung Diseases: A Systematic Review And Meta-Analysis Of Non-randomized Studies. *Int J Chron Obstruct Pulmon Dis* 2019; **14**: 2219-27 <https://pubmed.ncbi.nlm.nih.gov/31576118>.
269. Price D, Yawn B, Brusselle G, Rossi A. Risk-to-benefit ratio of inhaled corticosteroids in patients with COPD. *Prim Care Respir J* 2013; **22**(1): 92-100 <https://pubmed.ncbi.nlm.nih.gov/23135217>.
270. Nadeem NJ, Taylor SJ, Eldridge SM. Withdrawal of inhaled corticosteroids in individuals with COPD--a systematic review and comment on trial methodology. *Respir Res* 2011; **12**(1): 107 <https://pubmed.ncbi.nlm.nih.gov/21838890>.
271. van der Valk P, Monninkhof E, van der Palen J, Zielhuis G, van Herwaarden C. Effect of discontinuation of inhaled corticosteroids in patients with chronic obstructive pulmonary disease: the COPE study. *Am J Respir Crit Care Med* 2002; **166**(10): 1358-63 <https://pubmed.ncbi.nlm.nih.gov/12406823>.
272. Wouters EF, Postma DS, Fokkens B, et al. Withdrawal of fluticasone propionate from combined salmeterol/fluticasone treatment in patients with COPD causes immediate and sustained disease deterioration: a randomised controlled trial. *Thorax* 2005; **60**(6): 480-7 <https://pubmed.ncbi.nlm.nih.gov/15923248>.

273. Kunz LIZ, Postma DS, Klooster K, et al. Relapse in FEV1 Decline After Steroid Withdrawal in COPD. *Chest* 2015; **148**(2): 389-96 <https://pubmed.ncbi.nlm.nih.gov/25836351>.
274. Magnussen H, Disse B, Rodriguez-Roisin R, et al. Withdrawal of inhaled glucocorticoids and exacerbations of COPD. *N Engl J Med* 2014; **371**(14): 1285-94 <https://pubmed.ncbi.nlm.nih.gov/25196117>.
275. Brusselle G, Price D, Gruffydd-Jones K, et al. The inevitable drift to triple therapy in COPD: an analysis of prescribing pathways in the UK. *Int J Chron Obstruct Pulmon Dis* 2015; **10**: 2207-17 <https://pubmed.ncbi.nlm.nih.gov/26527869>.
276. Welte T, Miravitles M, Hernandez P, et al. Efficacy and tolerability of budesonide/formoterol added to tiotropium in patients with chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 2009; **180**(8): 741-50 <https://pubmed.ncbi.nlm.nih.gov/19644045>.
277. Singh D, Brooks J, Hagan G, Cahn A, O'Connor BJ. Superiority of "triple" therapy with salmeterol/fluticasone propionate and tiotropium bromide versus individual components in moderate to severe COPD. *Thorax* 2008; **63**(7): 592-8 <https://pubmed.ncbi.nlm.nih.gov/18245142>.
278. Jung KS, Park HY, Park SY, et al. Comparison of tiotropium plus fluticasone propionate/salmeterol with tiotropium in COPD: a randomized controlled study. *Respir Med* 2012; **106**(3): 382-9 <https://pubmed.ncbi.nlm.nih.gov/21975275>.
279. Hanania NA, Crater GD, Morris AN, Emmett AH, O'Dell DM, Niewoehner DE. Benefits of adding fluticasone propionate/salmeterol to tiotropium in moderate to severe COPD. *Respir Med* 2012; **106**(1): 91-101 <https://pubmed.ncbi.nlm.nih.gov/22040533>.
280. Frith PA, Thompson PJ, Ratnavadivel R, et al. Glycopyrronium once-daily significantly improves lung function and health status when combined with salmeterol/fluticasone in patients with COPD: the GLISTEN study, a randomised controlled trial. *Thorax* 2015; **70**(6): 519-27 <https://pubmed.ncbi.nlm.nih.gov/25841237>.
281. Lipson DA, Barnacle H, Birk R, et al. FULFIL Trial: Once-Daily Triple Therapy for Patients with Chronic Obstructive Pulmonary Disease. *Am J Respir Crit Care Med* 2017; **196**(4): 438-46 <https://pubmed.ncbi.nlm.nih.gov/28375647>.
282. Siler TM, Kerwin E, Singletary K, Brooks J, Church A. Efficacy and Safety of Umeclidinium Added to Fluticasone Propionate/Salmeterol in Patients with COPD: Results of Two Randomized, Double-Blind Studies. *COPD* 2016; **13**(1): 1-10 <https://pubmed.ncbi.nlm.nih.gov/26451734>.
283. Singh D, Papi A, Corradi M, et al. Single inhaler triple therapy versus inhaled corticosteroid plus long-acting beta<sub>2</sub>-agonist therapy for chronic obstructive pulmonary disease (TRILOGY): a double-blind, parallel group, randomised controlled trial. *Lancet* 2016; **388**(10048): 963-73 <https://pubmed.ncbi.nlm.nih.gov/27598678>.
284. Bardsley S, Criner GJ, Halpin DMG, et al. Single-inhaler triple therapy fluticasone furoate/umeclidinium/vilanterol versus dual therapy in current and former smokers with COPD: IMPACT trial post hoc analysis. *Respir Med* 2022; **205**: 107040 <https://pubmed.ncbi.nlm.nih.gov/36470149>.
285. Vestbo J, Fabbri L, Papi A, et al. Inhaled corticosteroid containing combinations and mortality in COPD. *Eur Respir J* 2018; **52**(6): 1801230 <https://pubmed.ncbi.nlm.nih.gov/30209195>.
286. Lipson DA, Crim C, Criner GJ, et al. Reduction in All-Cause Mortality with Fluticasone Furoate/Umeclidinium/Vilanterol in Patients with Chronic Obstructive Pulmonary Disease. *Am J Respir Crit Care Med* 2020; **201**(12): 1508-16 <https://pubmed.ncbi.nlm.nih.gov/32162970>.
287. Manson SC, Brown RE, Cerulli A, Vidaurre CF. The cumulative burden of oral corticosteroid side effects and the economic implications of steroid use. *Respir Med* 2009; **103**(7): 975-94 <https://pubmed.ncbi.nlm.nih.gov/19372037>.
288. Walters JA, Tan DJ, White CJ, Gibson PG, Wood-Baker R, Walters EH. Systemic corticosteroids for acute exacerbations of chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2014; (9): CD001288 <https://pubmed.ncbi.nlm.nih.gov/25178099>.
289. Renkema TE, Schouten JP, Koeter GH, Postma DS. Effects of long-term treatment with corticosteroids in COPD. *Chest* 1996; **109**(5): 1156-62 <https://pubmed.ncbi.nlm.nih.gov/8625660>.
290. Rice KL, Rubins JB, Lebahn F, et al. Withdrawal of chronic systemic corticosteroids in patients with COPD: a randomized trial. *Am J Respir Crit Care Med* 2000; **162**(1): 174-8 <https://pubmed.ncbi.nlm.nih.gov/10903238>.
291. Rabe KF. Update on roflumilast, a phosphodiesterase 4 inhibitor for the treatment of chronic obstructive pulmonary disease. *Br J Pharmacol* 2011; **163**(1): 53-67 <https://pubmed.ncbi.nlm.nih.gov/21232047>.
292. Calverley PM, Rabe KF, Goehring UM, et al. Roflumilast in symptomatic chronic obstructive pulmonary disease: two randomised clinical trials. *Lancet* 2009; **374**(9691): 685-94 <https://pubmed.ncbi.nlm.nih.gov/19716960>.
293. Fabbri LM, Calverley PM, Izquierdo-Alonso JL, et al. Roflumilast in moderate-to-severe chronic obstructive pulmonary disease treated with longacting bronchodilators: two randomised clinical trials. *Lancet* 2009; **374**(9691): 695-703 <https://pubmed.ncbi.nlm.nih.gov/19716961>.
294. Chong J, Leung B, Poole P. Phosphodiesterase 4 inhibitors for chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2013; **11**(11): CD002309 <https://pubmed.ncbi.nlm.nih.gov/24190161>.
295. Francis RS, May JR, Spicer CC. Chemotherapy of bronchitis. Influence of penicillin and tetracycline administered daily, or intermittently for exacerbations. A report to the Research Committee of the British Tuberculosis Association by its Bronchitis Subcommittee. *Br Med J* 1961; **2**(5258): 979-85 <https://pubmed.ncbi.nlm.nih.gov/13894512>.
296. Francis RS, Spicer CC. Chemotherapy in chronic bronchitis. Influence of daily penicillin and tetracycline on exacerbations and their cost. *Br Med J* 1960; **1**(5169): 297-303 <https://pubmed.ncbi.nlm.nih.gov/13824401>.
297. Johnston RN, McNeill RS, Smith DH, et al. Five-year winter chemoprophylaxis for chronic bronchitis. *Br Med J* 1969; **4**(5678): 265-9 <https://pubmed.ncbi.nlm.nih.gov/4899454>.
298. Herath SC, Poole P. Prophylactic antibiotic therapy for chronic obstructive pulmonary disease (COPD). *Cochrane Database of Systematic Reviews* 2013; (11): CD009764 <https://pubmed.ncbi.nlm.nih.gov/24288145>.

299. Ni W, Shao X, Cai X, et al. Prophylactic use of macrolide antibiotics for the prevention of chronic obstructive pulmonary disease exacerbation: a meta-analysis. *PLoS One* 2015; **10**(3): e0121257 <https://pubmed.ncbi.nlm.nih.gov/25812085>.
300. Seemungal TA, Wilkinson TM, Hurst JR, Perera WR, Sapsford RJ, Wedzicha JA. Long-term erythromycin therapy is associated with decreased chronic obstructive pulmonary disease exacerbations. *Am J Respir Crit Care Med* 2008; **178**(11): 1139-47 <https://pubmed.ncbi.nlm.nih.gov/18723437>.
301. Uzun S, Djamin RS, Kluytmans JA, et al. Azithromycin maintenance treatment in patients with frequent exacerbations of chronic obstructive pulmonary disease (COLUMBUS): a randomised, double-blind, placebo-controlled trial. *Lancet Respir Med* 2014; **2**(5): 361-8 <https://pubmed.ncbi.nlm.nih.gov/24746000>.
302. Sethi S, Jones PW, Theron MS, et al. Pulsed moxifloxacin for the prevention of exacerbations of chronic obstructive pulmonary disease: a randomized controlled trial. *Respir Res* 2010; **11**(1): 10 <https://pubmed.ncbi.nlm.nih.gov/20109213>.
303. Allinson JP, Vlies BH, Brill SE, et al. A Double-Blind, Randomized, Placebo-controlled Trial of Long-Term Doxycycline Therapy on Exacerbation Rate in Patients with Stable Chronic Obstructive Pulmonary Disease. *Am J Respir Crit Care Med* 2023; **208**(5): 549-58 <https://pubmed.ncbi.nlm.nih.gov/37450935>.
304. Cazzola M, Calzetta L, Page C, et al. Influence of N-acetylcysteine on chronic bronchitis or COPD exacerbations: a meta-analysis. *Eur Respir Rev* 2015; **24**(137): 451-61 <https://pubmed.ncbi.nlm.nih.gov/26324807>.
305. Poole P, Chong J, Cates CJ. Mucolytic agents versus placebo for chronic bronchitis or chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2015; (7): CD001287 <https://pubmed.ncbi.nlm.nih.gov/26222376>.
306. Dal Negro RW, Wedzicha JA, Iversen M, et al. Effect of erdosteine on the rate and duration of COPD exacerbations: the RESTORE study. *Eur Respir J* 2017; **50**(4): PA675 <https://pubmed.ncbi.nlm.nih.gov/29025888>.
307. Rogliani P, Matera MG, Page C, Puxeddu E, Cazzola M, Calzetta L. Efficacy and safety profile of mucolytic/antioxidant agents in chronic obstructive pulmonary disease: a comparative analysis across erdosteine, carbocysteine, and N-acetylcysteine. *Respir Res* 2019; **20**(1): 104 <https://pubmed.ncbi.nlm.nih.gov/31133026>.
308. Poole P, Sathananthan K, Fortescue R. Mucolytic agents versus placebo for chronic bronchitis or chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2019; **5**(5): CD001287 <https://pubmed.ncbi.nlm.nih.gov/31107966>.
309. Pavord ID, Chanez P, Criner GJ, et al. Mepolizumab for Eosinophilic Chronic Obstructive Pulmonary Disease. *N Engl J Med* 2017; **377**(17): 1613-29 <https://pubmed.ncbi.nlm.nih.gov/28893134>.
310. Criner GJ, Celli BR, Brightling CE, et al. Benralizumab for the Prevention of COPD Exacerbations. *N Engl J Med* 2019; **381**(11): 1023-34 <https://pubmed.ncbi.nlm.nih.gov/31112385>.
311. Bhatt SP, Rabe KF, Hanania NA, et al. Dupilumab for COPD with Type 2 Inflammation Indicated by Eosinophil Counts. *N Engl J Med* 2023; **389**(3): 205-14 <https://pubmed.ncbi.nlm.nih.gov/37272521>.
312. Lee JH, Kim HJ, Kim YH. The Effectiveness of Anti-leukotriene Agents in Patients with COPD: A Systemic Review and Meta-analysis. *Lung* 2015; **193**(4): 477-86 <https://pubmed.ncbi.nlm.nih.gov/25972156>.
313. Liu L, Wang JL, Xu XY, Feng M, Hou Y, Chen L. Leukotriene receptor antagonists do not improve lung function decline in COPD: a meta-analysis. *Eur Rev Med Pharmacol Sci* 2018; **22**(3): 829-34 <https://pubmed.ncbi.nlm.nih.gov/29461616>.
314. Rennard SI, Fogarty C, Kelsen S, et al. The safety and efficacy of infliximab in moderate to severe chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 2007; **175**(9): 926-34 <https://pubmed.ncbi.nlm.nih.gov/17290043>.
315. Fraser A, Poole P. Immunostimulants versus placebo for preventing exacerbations in adults with chronic bronchitis or chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2022; **11**(11): Cd013343 <https://pubmed.ncbi.nlm.nih.gov/36373977>.
316. Dransfield MT, Voelker H, Bhatt SP, et al. Metoprolol for the Prevention of Acute Exacerbations of COPD. *N Engl J Med* 2019; **381**(24): 2304-14 <https://pubmed.ncbi.nlm.nih.gov/31633896>.
317. Criner GJ, Connell JE, Aaron SD, et al. Simvastatin for the prevention of exacerbations in moderate-to-severe COPD. *N Engl J Med* 2014; **370**(23): 2201-10 <https://pubmed.ncbi.nlm.nih.gov/24836125>.
318. Ingebrigtsen TS, Marott JL, Nordestgaard BG, Lange P, Hallas J, Vestbo J. Statin use and exacerbations in individuals with chronic obstructive pulmonary disease. *Thorax* 2015; **70**(1): 33-40 <https://pubmed.ncbi.nlm.nih.gov/25349333>.
319. Lehouck A, Mathieu C, Carremans C, et al. High doses of vitamin D to reduce exacerbations in chronic obstructive pulmonary disease: a randomized trial. *Ann Intern Med* 2012; **156**(2): 105-14 <https://pubmed.ncbi.nlm.nih.gov/22250141>.
320. Jolliffe DA, Greenberg L, Hooper RL, et al. Vitamin D to prevent exacerbations of COPD: systematic review and meta-analysis of individual participant data from randomised controlled trials. *Thorax* 2019; **74**(4): 337-45 <https://pubmed.ncbi.nlm.nih.gov/30630893>.
321. Rafiq R, Aleva FE, Schrumpf JA, et al. Vitamin D supplementation in chronic obstructive pulmonary disease patients with low serum vitamin D: a randomized controlled trial. *Am J Clin Nutr* 2022; **116**(2): 491-9 <https://pubmed.ncbi.nlm.nih.gov/35383823>.
322. Wedzicha JA, Seemungal TA. COPD exacerbations: defining their cause and prevention. *Lancet* 2007; **370**(9589): 786-96 <https://pubmed.ncbi.nlm.nih.gov/17765528>.
323. Seemungal TA, Donaldson GC, Paul EA, Bestall JC, Jeffries DJ, Wedzicha JA. Effect of exacerbation on quality of life in patients with chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 1998; **157**(5 Pt 1): 1418-22 <https://pubmed.ncbi.nlm.nih.gov/9603117>.
324. Spies R, Potter M, Hollamby R, et al. Sputum Color as a Marker for Bacteria in Acute Exacerbations of Chronic Obstructive Pulmonary Disease: A Systematic Review and Meta-analysis. *Ann Am Thorac Soc* 2023; **20**(5): 738-48 <https://pubmed.ncbi.nlm.nih.gov/36724375>.

325. Anthonisen NR, Manfreda J, Warren CP, Hershfield ES, Harding GK, Nelson NA. Antibiotic therapy in exacerbations of chronic obstructive pulmonary disease. *Ann Intern Med* 1987; **106**(2): 196-204 <https://pubmed.ncbi.nlm.nih.gov/3492164>.
326. Beghe B, Verduri A, Roca M, Fabbri LM. Exacerbation of respiratory symptoms in COPD patients may not be exacerbations of COPD. *Eur Respir J* 2013; **41**(4): 993-5 <https://pubmed.ncbi.nlm.nih.gov/23543648>.
327. Stolz D, Breidthardt T, Christ-Crain M, et al. Use of B-type natriuretic peptide in the risk stratification of acute exacerbations of COPD. *Chest* 2008; **133**(5): 1088-94 <https://pubmed.ncbi.nlm.nih.gov/18339792>.
328. Crisafulli E, Manco A, Ferrer M, et al. Pneumonic versus Nonpneumonic Exacerbations of Chronic Obstructive Pulmonary Disease. *Semin Respir Crit Care Med* 2020; **41**(6): 817-29 <https://pubmed.ncbi.nlm.nih.gov/32726837>.
329. Torres A, Blasi F, Dartois N, Akova M. Which individuals are at increased risk of pneumococcal disease and why? Impact of COPD, asthma, smoking, diabetes, and/or chronic heart disease on community-acquired pneumonia and invasive pneumococcal disease. *Thorax* 2015; **70**(10): 984-9 <https://pubmed.ncbi.nlm.nih.gov/26219979>.
330. Couturaud F, Bertoletti L, Pastre J, et al. Prevalence of Pulmonary Embolism Among Patients With COPD Hospitalized With Acutely Worsening Respiratory Symptoms. *JAMA* 2021; **325**(1): 59-68 <https://pubmed.ncbi.nlm.nih.gov/33399840>.
331. Jimenez D, Agusti A, Tabernero E, et al. Effect of a Pulmonary Embolism Diagnostic Strategy on Clinical Outcomes in Patients Hospitalized for COPD Exacerbation: A Randomized Clinical Trial. *JAMA* 2021; **326**(13): 1277-85 <https://pubmed.ncbi.nlm.nih.gov/34609451>.
332. Calverley PMA, Martinez FJ, Vestbo J, et al. International Differences in the Frequency of Chronic Obstructive Pulmonary Disease Exacerbations Reported in Three Clinical Trials. *Am J Respir Crit Care Med* 2022; **206**(1): 25-33 <https://pubmed.ncbi.nlm.nih.gov/35363593>.
333. Celli BR, Fabbri LM, Aaron SD, et al. An Updated Definition and Severity Classification of Chronic Obstructive Pulmonary Disease Exacerbations: The Rome Proposal. *Am J Respir Crit Care Med* 2021; **204**(11): 1251-8 <https://pubmed.ncbi.nlm.nih.gov/34570991>.
334. Martinez FJ, Han MK, Flaherty K, Curtis J. Role of infection and antimicrobial therapy in acute exacerbations of chronic obstructive pulmonary disease. *Expert Rev Anti Infect Ther* 2006; **4**(1): 101-24 <https://pubmed.ncbi.nlm.nih.gov/16441213>.
335. Hurst JR, Vestbo J, Anzueto A, et al. Susceptibility to exacerbation in chronic obstructive pulmonary disease. *N Engl J Med* 2010; **363**(12): 1128-38 <https://pubmed.ncbi.nlm.nih.gov/20843247>.
336. Celli BR, Thomas NE, Anderson JA, et al. Effect of pharmacotherapy on rate of decline of lung function in chronic obstructive pulmonary disease: results from the TORCH study. *Am J Respir Crit Care Med* 2008; **178**(4): 332-8 <https://pubmed.ncbi.nlm.nih.gov/18511702>.
337. Celli BR, Barnes PJ. Exacerbations of chronic obstructive pulmonary disease. *Eur Respir J* 2007; **29**(6): 1224-38 <https://pubmed.ncbi.nlm.nih.gov/17540785>.